



## DLF1085 / DLH1085

### 10.4" TFT LCD, LED Backlight 1000nits,XGA

10.4" TFT LCD panel, built-in 1000 nits high bright for sunlight readable LCD display, high transmittance color filter, high transmission polarizing plates, Low Power Consumption, suitable for kiosk, advertising, POS, marine, transportation, gaming, studio display, gas pump.

#### Key Features

- Sunlight Readable
- LED Backlight
- High Shock & Vibration Resistance
- Low Power Consumption
- Wide Operation Temperature(-20°C ~ 70°C)
- High Uniformity
- Low EMI Noise
- Wide Dimming
- Life Expectancy



### Specifications

V1

Model No.	DLF1085	DLH1085
Description	10.4" TFT LCD, LED Backlight 1000 nits, XGA	
Display Area (mm)	211.2 (H) x 158.4(V) mm	
Brightness	1000 cd/m <sup>2</sup>	
Resolution	1024 x 768 (XGA)	
Contrast Ratio	600 : 1	
Pixel Pitch (mm)	0.20625(H) x 0.20625(V)	
Viewing Angle	140°(H), 120°(V)	
Display Colors	262K	
Response Time (Typical)	25ms	
Sync	LVDS	
Power Consumption	8W	15W
Dimensions (mm)	236(W) x 174.3(H) x 7.4(D)mm	
Weight (Net)	0.5Kg	
LED Driving Board	LID10B	
Control Board (Optional)	<input type="checkbox"/> AD6038GD	
	<input type="checkbox"/> AD6038GD	VGA+DVI
F / R Control Button	<input type="checkbox"/> 4 Key	
	<input type="checkbox"/> 4 Key	Power Switch, Menu, Select (+,-),
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock...	
Optional	<input type="checkbox"/> AOT <input type="checkbox"/> Touch Screen	

*Specifications are subject to change without notice.*

*All brands or product names are trademarks or registered trademarks of their respective companies.*

**DLF**= Panel+LED Driving Board

**DLH**= Panel+LED Driving Board+Control Board





### Ordering Information

Model Name	Description
<b>DLF1085-ENN-A01</b>	10.4",1000nits,1024*768,LID10B,5-in-1,V1
<b>DLH1085-ENN-I01</b>	10.4",1000nits,1024*768,LID10B,AD6038GD,5-in-1,V1

### Optional Accessories

Part Number	Description
<b>840612051100</b>	ADAPTER.12V.5A.60W.EA1050A,P
<b>810618301010</b>	CABLE.POWER.AC.1830mm USA type
<b>810618301090</b>	CABLE,POWER,AC,1830mm Europe type
<b>810618301050</b>	CABLE.POWER.AC.1830mm UK type
<b>810618301170</b>	CABLE.POWER,AC,1830mm Australia type
<b>810618301030</b>	CABLE.POWER.AC.1830mm Japan type