

Tripp Lite 1111 W. 35th Street Chicago, IL 60609 USA Telephone: 773.869.1234 www.tripplite.com

BP192V18-4U - External 192V Rack/Tower Battery Pack for select Tripp Lite UPS Systems

MODEL NUMBER: BP192V18-4U





Description

Tripp Lite's BP192V18-4U rack/tower external battery pack offers extended battery runtime when used in conjunction with compatible Tripp Lite UPS systems. Multi-use form factor supports configuration in rackmount or stacking applications using only 4 rack spaces (4U). Upright tower configuration supported with optional 2-9USTAND accessory. Includes heavy-gauge cabling with high-current DC connectors for simple installation. Additional output connector allows multiple BP192V18-4U battery packs to be daisy-chained to the UPS for even longer extended run operation.

COMPATIBLE UPS SYSTEMS - SU12000RT4U, SU12000RT4UHW, SU16000RT4U, SU16000RT4UHW, and other Tripp Lite UPS systems that specify the use of this battery pack.

Features

- Offers extended-run UPS operation when used in conjunction with compatible Tripp Lite UPS systems
- Supports stacking or rackmount installation using only 4 rack spaces (4U)
- Supports upright tower installation with optional 2-9USTAND accessory (holds 2 battery packs in tower configuration)
- Set of input/output connectors allows multiple BP192V18-4U battery packs to be daisy-chained to the UPS for even longer extended run operation
- Includes heavy-gauge cabling with high-current DC connectors for simple installation
- Simple maintenance chassis contains (4) 40lb. single-user replaceable battery modules

Specifications

OVERIOAD protection 120A DC output fuse system

INPUT

Highlights

- Extends runtime of compatible Tripp Lite UPS Systems with 192VDC external battery connection
- Provides daisy-chain capability
- Simple installation; 4U rackmount, tower or stack adaptable
- Simple maintenance chassis contains (4) 40lb. single-user replaceable battery modules

Applications

 Ideal means of lengthening the battery runtime provided by compatible Tripp Lite UPS systems. Additional battery packs may be ordered at time of original UPS purchase or sourced at a later date to extend runtime performance if site power conditions deteriorate and longer battery runtime is desired.

Package Includes

- BP192V18-4U external battery pack
- Mounting Hardware
- Instruction manual with warranty information



UPS Input cord length (ft.)	16 in./ .41m, 4 AWG, 2 conductor	
UPS Input cord length (m)	4.88	
BATTERY		
Expandable battery runtime	Includes a second input/output connector to daisy-chain multiple BP192V18-4U battery packs	
DC system voltage (VDC)	192	
Battery Access	Front-panel battery access	
Battery replacement description	Simple maintenance chassis contains (4) 40lb. single-user replaceable sealed, flame retardant, non-spillable battery modules.	
Connects to UPS via	Detachable cable with UPS specific DC connector (40.6 cm length, 4 gauge cable)	
Replacement Battery Cartridge	(2x) RBC9-192	
Typical battery lifespan	4-6 years typical (North America)	
PHYSICAL		
Installation form factors supported with included accessories	4 post 19 inch rackmount	
Installation form factors supported with optional accessories	2 post rackmount (2POSTRMKITHD); Tower (2-9USTAND)	
Shipping Dimensions (HWD/in)	13 x 23.25 x 34.25	
Shipping Dimensions (HWD/cm)	33 x 59.1 x 87	
Shipping weight (lbs)	288	
Shipping weight (kg)	129.6	
Unit Dimensions (HWD/in)	7 x 17.5 x 27.8	
Unit Dimensions (HWD/cm)	18 x 44.5 x 70.6	
Unit weight (lbs)	239	
Unit weight (kg)	107.55	
Material of construction	Black steel cabinet	
Form factors supported	4U rack/tower	
WARRANTY		
Product Warranty Period (U.S. & Canada)	2-year limited warranty	
Product Warranty Period (International)	1-year limited warranty	
Product Warranty Period (Mexico)	1-year limited warranty	
Product Warranty Period (Puerto Rico)	1-year limited warranty	



Optional Coverage

3 year, 5 year, next day, on-site warranty coverage available

Related Items

Optional Products

Model Number	Description	Qty.
RBC9-192	UPS Replacement Battery Cartridge Kit for select Tripp Lite SmartOnline UPS & External Battery Packs	2
WEXT3-BP192V18	3-Year Extended Warranty - For BP192V18-4U	1
WEXT5-BP192V18	5-Year Extended Warranty - For BP192V18-4U	1
2-9USTAND	Enables Tower Placement of Rackmount UPS Systems	1
2POSTRMKITHD	Enables 2-Post Rackmount Installation of 3U and Larger UPS, Transformer and Battery Pack Components	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at: http://www.tripplite.com/sku/BP192V18-4U.

© 2014 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.