



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: SR4POST13

### 13U 4-Post SmartRack Open Frame Rack - Organize and Secure Network Rack Equipment



#### Highlights

- 13U 4-post open frame rack
- Black steel with square, numbered mounting holes
- Toolless button holes to accept PDUs or cable managers

#### Description

SmartRack 4-post open frame racks are ideal for cost conscious 19 inch rack mount applications. Multiple units can be bolted together side by side.

#### Package Includes

- SR4POST13
- Installation hardware
- 16x M6 cagenuts, screws, washers
- Cable management hooks
- Owner's manual with warranty information

#### Features

- Supports 1000lbs of rackmount equipment
- Adjustable mounting depth (22 to 39 inches)
- Textured powder coat finish
- Heavy-duty cold-rolled steel construction
- Numbered mounting positions
- Bolt down provisions
- Self squaring design
- Black finish
- Easy assembly
- Five year repair or replacement warranty

#### Specifications

PHYSICAL	
Installed whole system maximum rack depth (inches)	39.3

Installed whole system minimum rack depth (inches)	22
Installed whole system total rack space height (rack spaces)	13U
Shipping weight (lbs)	40
Shipping weight (kg)	18
Unit Dimensions (HWD/cm)	71.12 x 51.3 x 55.9~99.06 (depth adjustable)
Shipping Dimensions (HWD/in)	4.13 x 5.71 x 43.3
Shipping Dimensions (HWD/cm)	10.5 x 14.5 x 109.98
Unit weight (lbs)	39
Unit weight (kg)	17.55
Unit Dimensions (in)	28 x 20.20 x 22~39 (depth adjustable)
Color	Black
Weight Capacity - Stationary (lbs)	1000
<b>SPECIAL FEATURES</b>	
Grounding lug	Includes nuts, bolts, and washers to attach to user-supplied ground wire
<b>CERTIFICATIONS</b>	
NOM (Mexico)	Tested to NOM (Mexico)
Approvals	EIA-310-D, IEC 60297-3-100, DIN 41494, RoHS
<b>WARRANTY</b>	
Product Warranty Period (U.S., Canada & Puerto Rico)	5-year limited warranty

## Related Items

### Optional Products

Product Type	Related Model	Description	Qty.
KVM Switches & Accessories	<a href="#">B020-U08-19-IP</a>	Console KVM Switch - 8-Port NetDirector 1U Rackmount Console IP KVM Switch w/17" LCD	1
KVM Switches & Accessories	<a href="#">B040-008-19</a>	NetController 19" VGA Console KVM Switch - 8 Port	1
KVM Switches & Accessories	<a href="#">B040-016-19</a>	NetController 19" VGA Console KVM Switch - 16 Port	1
Patch Panels	<a href="#">N252-012</a>	12-Port Cat6 Patch Panel 568B	1
Patch Panels	<a href="#">N252-024</a>	24-Port Cat6 Patch Panel 568B	1
Patch Panels	<a href="#">N252-048</a>	48-Port Cat6 Patch Panel 568B	1
Rack Accessories	<a href="#">SR1UPANEL10</a>	1U Blanking Panel Kit (10 pieces; toolless mounting.)	1
Rack Accessories	<a href="#">SR1UPANEL50</a>	1U Blanking Panel Kit (50 pieces; toolless mounting.)	1

Rack Accessories	<a href="#">SRBOLTDOWN</a>	Bolt-Down Kit (Secures included stabilizing brackets or optional stabilizing plates to facility floor.)	1
Rack Accessories	<a href="#">SRCABLEDUCT1U</a>	1U Horizontal Cable Manager (Finger duct with cover.)	1
Rack Accessories	<a href="#">SRCABLEDUCTVRT</a>	6-ft. (1.8 m) Vertical Cable Manager (Double finger duct with cover; toolless mounting.)	1
Rack Accessories	<a href="#">SRCABLELADDER</a>	10-ft. x 1-ft. (3 m x 0.3 m) Cable Ladder (Includes 2 sections; requires SRCABLETRAY.)	1
Rack Accessories	<a href="#">SRCABLERING1U</a>	1U Horizontal Cable Manager (Flexible ring type.)	1
Rack Accessories	<a href="#">SRCABLERING2U</a>	2U Horizontal Cable Manager (Flexible ring type.)	1
Rack Accessories	<a href="#">SRCABLERINGVRT</a>	6-ft. (1.8 m) Vertical Cable Manager (Flexible ring type; toolless mounting.)	1
Rack Accessories	<a href="#">SRCAGENUTS</a>	Square Hole Hardware Kit (Includes 50 M6 screws and washers.)	1
Rack Accessories	<a href="#">SRCASTER</a>	Heavy-Duty Rolling Caster Kit (Includes 4 casters. Casters are included with 48/42/25U enclosures.)	1
Rack Accessories	<a href="#">SRFAN3U</a>	3U Fan Panel, 120V (3 high-performance fans; 210 CFM; 5-15P plug.)	1
Rack Accessories	<a href="#">SRSHELF2P</a>	2U Cantilever Fixed Shelf (60 lb / 27 kg capacity; 18-in. / 457 mm depth.)	1
Rack Accessories	<a href="#">SRSHELF4PHD</a>	Heavy-Duty Fixed Shelf (250 lb / 113 kg capacity; 26 in / 660 mm depth.)	1
Rack Accessories	<a href="#">SRSHELF4PKYBD</a>	Keyboard Shelf (25 lb / 11 kg capacity; 16-in. / 406 mm depth.)	1
Rack Accessories	<a href="#">SRSHELF4PSL</a>	Standard Sliding Shelf (50 lb / 22 kg capacity; 26 in/ 660 mm depth.)	1
Rack Accessories	<a href="#">SRSHELF4PSLHD</a>	Heavy-Duty Sliding Shelf (100 lb / 45 kg capacity; 26 in / 660 mm depth.)	1
Rack Accessories	<a href="#">SRXFAN3U</a>	3U Fan Panel, 230V (3 high-performance fans; 210 CFM; C14 inlet.)	1
Rack Accessories	<a href="#">UPSHDEARKIT</a>	Heavy-Duty Mounting Ear Kit (Supports 2U cabinets up to 65 lb / 29 kg from front vertical rails in 4-post or 2-post racks and enclosures. )	1
Rackmount Consoles	<a href="#">B021-000-17</a>	Rackmount Console - 1U Rackmount Console with 17" LCD	1
Rackmount Consoles	<a href="#">B021-000-19</a>	Rackmount Console - 1U Rackmount Console with 19" LCD	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=4025](http://www.tripplite.com/en/products/model.cfm?txtModelID=4025).

Copyright © 2011 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.