## cPCIS-2630 series

**3U CompactPCI Sub-system with 4U Enclosure, 32-bit 8-slot Backplane and ATX Power Supply** 



Configuration	
Power Supply	APS-930XA: 300W ATX AC input power supply with cooling fan
	48VDC or 24VDC model available for big quantity OEM project
System Backplane	cBP-3208 for cPCIS-2630
	cBP-3208R for cPCIS-2630R
Chassis Partition	7 slots for peripheral cards
	3 slots for system module
	2 slots for spared space
	9 slots occupied by ATX power supply

#### **Ordering Information**

Model number	Description/Configuration
cPCIS-2630	3U cPCI Sub-system 4U Enclosure with chassis alarm, 32-bit 8-slot backplane and 300W ATX AC-input power supply
cPCIS-2630R	3U cPCI Sub-system 4U Enclosure with chassis alarm, 32-bit 8-slot backplane and 300W ATX AC-input power supply, with rear I/O capability
Note: EMC blank panels are optional. All models above do not include any system or peripheral board.	

# cPCIS-2631 series

### **3U CompactPCI Sub-system with 4U Enclosure, 32-bit 8-slot Backplane and Single CompactPCI Power Supply**



### Configuration

Power Supply	Power backplane: cBP-3061
	Supports one in-rack 3U cPCI 8HP power module
	PICMG 2.11 47-pin power interface
	Available power module: cPS-H325/AC (250W redundant each)
	48VDC or 24VDC model available for big quantity OEM project
System Backplane	cBP-3208 for cPCIS-2631
	cBP-3208R for cPCIS-2631R
Chassis Partition	7 slots for peripheral cards
	3 slots for system module
	2 slots for single 3U cPCI power module
	9 slots spared space

#### **Ordering Information**

Model number Description/Configuration