

# WS-950B

## 9U 500mm Depth Audio/Video Rackmount Cabinet



### ■ INTRODUCTION

WS Cabinet series, the newest innovation in audio/video data storage. it is optimized for office, small/medium business (SMB), or professional studio environments (movie animation, music production, etc.). The 4U,6U,7U,9U,10U,14U,20U space supports any combination of standard rackmount equipment in a compact form factor offering ease of maintenance and flexibility for different IT applications. The sleek and compact design makes it suitable for customers looking for IT solutions in a dynamic office environment. WS series cabinet is built with high-quality steel structures with vented doors. Also, it is completely lockable from the front and rear doors to prevent unauthorized access. This stylish and secure 19" rack-mount cabinet is designed to store you content safer, easier, and sleeker than ever before.

### ■ FEATURE

- Universal Fit Most of Rackmount Chassis and Equipment
- Front Security Locks to Prevent Unauthorized Access to Equipment and Data
- Horizontal Adjustable Mounting Rails to Ensure the Best Fit of Rack-mount Chassis
- Vented Doors Provide Maximum Air Flow
- Removable Side Panels for Easy Access
- Tapped Mounting Holes (M5 size) for Audio/Video Equipment
- Equipped with Casters and Feet

### ■ OPTIONAL ACCESSORIES

Model #	Description



## SPECIFICATION

<b>Model Number</b>	<b>WS-950B</b>
<b>RoHS Compliance</b>	Yes
<b>Form Factor</b>	9
<b>Color</b>	Black (Special Color on Request)
<b>Loading Capacity</b>	660 lbs
<b>Supported Chassis Depth</b>	14.5" and under
<b>Internal Dimensions [WxHxD]</b>	x 14.7" max
<b>Dimensions [WxHxD]</b>	22.4 x 22.6 x 19.7
<b>Weight</b>	83.00
<b>Cooling</b>	
<b>Material</b>	Main Frame:SPCC t1.6::Mounting Rails:SPCC t2.0::Top and Bottom frame: SPCC T1.6 to 2.0::Side Panel:Aluminum t2.0::Vented Door:SPCC t1.2
<b>Notes</b>	1. mounting rails need to be adjusted inward if chassis handles are more than 0.8", then the internal maximum depth from post-to-post is 12". 2. comes with front door. rear door as options. 3. HTS code: 8473.30.5100 (ECCN is not applicable).

